BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

Date: 24/02/2017 Page 1/8

Revision: N°5 (22/11/2016)

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120

Product code: LB920600.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning disinfectant for medical devices

Professional use

# 1.3. Details of the supplier of the safety data sheet

Registered company name: ORAPI.

Address: PARC INDUSTRIEL DE LA PLAINE DE L'AIN - 225 ALLEE DES CEDRES.01150.SAINT-VULBAS.FRANCE.

Telephone: 33-(0)4-74-40-20-20. Fax: 33-(0)4-74-40-20-21.

fds@orapi.com

## 1.4. Emergency telephone number: 33-(0)1-45-42-59-59.

Association/Organisation: INRS.

# Other emergency numbers

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

## 2.2. Label elements

Detergent mixture (see section 15).

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General :

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary statements - Disposal:

P501 Dispose of contents and container in accordance with local regulations.

Other information:

Do not reuse the packaging.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (23/11/2016)

**ORAPI** 

Revision : N°5 (22/11/2016)

Date: 24/02/2017 Page 2/8

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	%
INDEX: 64_17_5A	GHS07, GHS02	[1]	$2.5 \le x \% < 10$
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
REACH: 01-2119457610-43	Eye Irrit. 2, H319		
ETHANOL			
INDEX: 612_131_006B	GHS07, GHS05, GHS09		$0 \le x \% < 2.5$
CAS: 7173-51-5	Dgr		
	Acute Tox. 4, H302		
CHLORURE DE	Skin Corr. 1B, H314		
DIDECYLDIMETHYLAMMONIUM	Eye Dam. 1, H318		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 10		
INDEX: 68424_81B	GHS07, GHS05, GHS09		$0 \le x \% < 2.5$
CAS: 68424-85-1	Dgr		
EC: 270-325-2	Met. Corr. 1, H290		
	Acute Tox. 4, H302		
COMPOSE DE L ION AMMONIUM	Skin Corr. 1B, H314		
QUATERNAIRE, BENZYLALKYL EN C12-16	Aquatic Acute 1, H400		
DIMETHYLES CHLORURES	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of exposure by inhalation:

Bring to the fresh air.

Consult a physician in case of disorder.

# In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Consult a doctor in the event of irritation.

# In the event of splashes or contact with skin:

Wash immediately with soap and water. Take off all contamined clothing.

# In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

Suitable methods of extinction

# BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

Date : 24/02/2017 Page 3/8 Revision : N°5 (22/11/2016)

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

## Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

# Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

# $\label{lem:Recommended equipment and procedures:} Recommended equipment and procedures:$

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Revision: N°5 (22/11/2016)

BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

Date: 24/02/2017 Page 4/8

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5		1000 ppm		A3	

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME:	VME:	Excess	Notes
64-17-5		500 ppm		2(II)
		960 mg/m3		

- France (INRS - ED984:2012):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
64-17-5	1000	1900	5000	9500	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5	1000 ppm				
	1920 mg/m3				

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

#### General information:

Physical state: Fluid liquid.

Colour: colorless Olor: Pino

## Important health, safety and environmental information

pH: 11.00 .

> Slightly basic. Not relevant.

Boiling point/boiling range: Flash point interval: Not relevant.

Vapour pressure (50°C): Between 175 kPa and 300 kPa inclusive.

Density: = 1Water solubility: Soluble. Melting point/melting range: Not specified. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not specified.

Revision : N°5 (22/11/2016)

Date: 24/02/2017 Page 5/8

#### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

#### 10.4. Conditions to avoid

Avoid:

- frost
- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

#### 10.5. Incompatible materials

Keep away from:

- acids
- oxidising agents

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

#### Acute toxicity:

COMPOSE DE L ION AMMONIUM QUATERNAIRE, BENZYLALKYL EN C12-16 DIMETHYLES CHLORURES (CAS: 68424-85-1)

1 <= Average score < 2 and effects totally reversible within 21 days of observation

Oral route : LD50 = 795 mg/kg

Species: Rat

# Serious damage to eyes/eye irritation:

ETHANOL (CAS: 64-17-5)

Causes serious eye irritation.

Corneal haze:

# 11.1.2. Mixture

No toxicological data available for the mixture.

# **SECTION 12: ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

# 12.1.1. Substances

COMPOSE DE L ION AMMONIUM QUATERNAIRE, BENZYLALKYL EN C12-16 DIMETHYLES CHLORURES (CAS: 68424-85-1)

Fish toxicity: LC50 = 0.085 mg/l

Factor M = 10

Species : Oncorhynchus mykiss Duration of exposure : 96 h SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (23/11/2016)

**ORAPI** 

Revision: N°5 (22/11/2016)

Date: 24/02/2017 Page 6/8

## BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 0.016 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.025 mg/l Species : Daphnia magna

OECD Guideline 211 (Daphnia magna Reproduction Test)

Algae toxicity: ECr50 = 0.025 mg/l

Species: Selenastrum capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

EC10 mg/l Factor M = 1

Species: Selenastrum capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

Fish toxicity: 0.01 < LC50 <= 0.1 mg/l

Factor M = 10

Duration of exposure: 96 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

#### 12.2.1. Substances

COMPOSE DE L ION AMMONIUM QUATERNAIRE, BENZYLALKYL EN C12-16 DIMETHYLES CHLORURES (CAS: 68424-85-1) Biodegradability: Rapidly degradable.

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

Biodegradability: Rapidly degradable.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (23/11/2016)

**ORAPI** 

## BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

Date: 24/02/2017 Page 7/8

Revision: N°5 (22/11/2016)

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

\_

14.3. Transport hazard class(es)

-

14.4. Packing group

\_

14.5. Environmental hazards

\_

14.6. Special precautions for user

-

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

#### - Container information:

No data available.

# - Particular provisions :

No data available.

# - Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: nonionic surfactants
- disinfectants
- perfumes

# 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H225	Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H290	May be corrosive to metals.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.
H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
	H400	Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (23/11/2016)

**ORAPI** 

Revision: N°5 (22/11/2016)

BACTINYL LINGETTES DESINFECTANTES PARF. BTE 120 - LB920600

Date: 24/02/2017 Page 8/8

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.